



**PROHAYWARD™**

**SWIMMING POOL ACCESSORIES**

# PROHAYWARD™

The PROHAYWARD Swimming Pool Accessories ship from the United States only and complement the main catalog line of Hayward residential and commercial swimming pool products offered by Hayward IMG. They enable our international distributors and pool professionals to offer a Totally Hayward package.

Hayward® is the industry leading global designer, manufacturer and marketer of a broad portfolio of swimming pool and recreational water equipment which includes various energy efficient and environmentally sustainable offerings that deliver high quality water, pleasant ambiance and ease of use for the ultimate experience.

Hayward IMG, the export division of Hayward®, has been serving international customers in the industry for over 50 years




The product offering in this catalog is changed and upgraded on a regular basis. The products and specifications shown are subject to change without notice. The images are non contractual and representational only and may differ from the actual product. Please check availability at the time of ordering as some items may be discontinued and new ones added.

The underwater lighting in this catalog is not for sale in the United States or its territories. Underwater lighting should be installed and maintained by professional, qualified personnel only. Failure to follow regulations and procedures can lead to serious injury or death.

# TABLE OF CONTENTS

Brushes.....	4
Hand Skimmers & Leaf Rakes.....	5
Vacuum Heads.....	6
Telescopic Poles .....	7
Water Testing .....	8
Vacuum Hoses.....	9
Underwater Lighting .....	10-12
Transformers & Deck Boxes.....	13
Value Skimmers .....	14
Ladders.....	15
Miscellaneous.....	16



We do not recommend non-professional grade and residential models for commercial and heavy duty applications. Use of residential and non-professional grade models in commercial applications will void any warranties.

# BRUSHES

## CWB001

18" standard Curved Plastic Wall Brush with nylon bristles



## CWB002

18" Deluxe Curved Plastic Wall Brush with aluminum back and nylon bristles



## CWB003

24" Pro-Grade Curved Plastic Wall Brush with aluminum back and nylon bristles  
Snap-Adapt fits most poles



## CWB004

24" Pro-Grade Plastic Curved Wall Brush with aluminum back UV Stabilized Polypropylene and Stainless Steel bristles  
Snap-Adapt fits most poles



## ABR005

5" Stainless Steel Algae Brush with aluminum handle and Stainless Steel bristles



## ABR010

10" Stainless Steel Algae Brush with aluminum handle and Stainless Steel bristles



# HAND SKIMMERS & LEAF RAKES

## SKM001

Deluxe Hand Skimmer with molded plastic aluminum reinforced frame, aluminum handle



## SKM002

Standard Leaf Skimmer with molded plastic handle and frame



## SKM003 (not shown)

Standard Leaf Skimmer with molded handle and frame and 1.2m extended aluminum handle

## SKM004

Heavy Duty Skimmer with solid aluminum rod molded into ABS snap-on replacement net



## SKM004-NET

Heavy Duty Skimmer replacement net

## LFR001

Deluxe Leaf Rake with aluminum reinforced ABS molded frame, aluminum handle and nylon net. Includes new EZ clip.



## LFR002

Pro-Grade Leaf Rake with solid aluminum rod, aluminum handle, EZ pick up edge



# VACUUM HEADS


## VAC001

19" Pro-Grade Flex Vacuum Head with aluminum handle, stainless steel axles and nylon wheels with ball bearings



## VAC002

14" Standard Flex Vacuum Head with poly wheels and ABS handle



## VAC002M

14" Standard Flexible Vacuum Head with aluminum handle, nylon wheels and stainless steel axles



## VAC002BR

14" Standard Flex Vacuum Head with side and bottom bristles, poly wheels and ABS handle



## VAC003

Standard Brush Vacuum Head with ABS poly bristles and vacuum adjusting ports



## VAC004

19" Light Commercial Vacuum Head with molded handle, wheels and fasteners



# TELESCOPIC POLES

## POL001

3 Section 5'6" -15' Aluminum Telescopic Pole with external compression lock, high quality drawn 0.8mm aluminum tubing with vinyl hand grip



## POL002

2 Section, 8'-16' Aluminum Telescopic Pole with external compression lock drawn aluminum tubing with vinyl hand grip



## POL003

2 Section, 8'-16' Aluminum Telescopic Pole with internal metal cam lock high quality drawn 0.8mm aluminum tubing with vinyl hand grip



## POL004

2 Section, 8'-16' Fiberglass Telescopic Pole with external compression lock. Non conductive pole finished with high visibility yellow and UV protection coating




## POL005

2 Section, 12'-24' Pro-Grade Fiberglass Telescopic Pole with external compression lock non conductive pole finished with high visibility yellow and UV protection coating.



## POL006

2 Section, 12'-24' Pro-Grade Aluminum Telescopic Pole with external compression lock high quality drawn 0.8mm aluminum tubing with vinyl hand grip



# WATER TESTING

## H2OCHK – Smartphone App-based Water Testing

Specially designed free downloadable app allows any pool or spa user to quickly and accurately measure 5 important water quality parameters: Free Chlorine, pH, Total Alkalinity, Total Hardness, Cyanuric Acid by using a smartphone to scan specially formulated test strips.

Provides fast accurate results  
 Recommends chemical dosages for perfect water balance  
 Available in English and Spanish



		ENGLISH	SPANISH
A	Trial Size bottle- 10 Test Strips per bottle	HSTRIP10	HSTRIP10SP
B	Regular size bottle - 50 Test Strips per bottle	HSTRIP50	HSTRIP50SP
C	Starter Kit - Includes: 12 x HSTRIP10, 72 x HSTRIP50, 56 x POP boxes and display card in acrylic frame	HSTRIPKIT	HSTRIPKITSP



Download the app:



## THM003

Floating Thermometer °F and °C scales with Totally Hayward Logo



## RECOMMENDED WATER CHEMISTRY PARAMETERS

TEST PARAMETER	MIN	IDEAL	MAXI
pH	7.2	7.4-7.5	7.8
Free Chlorine (ppm)	1.0	2.0-3.0	5.0
Combined Chlorine (ppm)	0	0	0.4
Total Alkalinity (ppm)	80	100	120
Calcium Hardness (ppm)	200		400
Cyanuric Acid (ppm)	0	30-50	100
Salt (ppm)	2700	3400	4500
Total Dissolved Solids (TDS)	Not more than 1500 ppm over start up		
Water Temperature	77° F/ 25° C	*	88° F/ 32° C
Saturation Index	-0.5	1	0.2

For Spas: Free Chlorine 3.0-5.0ppm, Calcium Hardness 150-250ppm, Max Temp. 104° F/40° C

\*: Ideal Temperature will depend on pool purpose and usage

Note: Local codes and health regulations may dictate minimum and maximum levels. Follow local regulations at all times.



## VACUUM HOSE

Highly flexible and resistant to crushing, kinking, abrasion, harsh chemicals and UV damage. Blue/black color with labeled swivel cuff. Available in 5 lengths for all applications.



VH1525	1 ½" x 25' Vacuum Hose
VH1530	1 ½" x 30' Vacuum Hose
VH1535	1 ½" x 35' Vacuum Hose
VH1540	1 ½" x 40' Vacuum Hose
VH1550	1 ½" x 50' Vacuum Hose



**haywardimg.com**

**YOUR IMG RESOURCE CENTER**  
CATALOGS, PRODUCT INFORMATION SHEETS,  
NEWSFLASH, SUBMIT WARRANTY CLAIMS,  
HEATER SIZING CALCULATOR AND MORE.

# UNDERWATER LIGHTING

## UNDERWATER LIGHTS WITH SEALED LED PANEL

The UPR LED panel used in these lights is completely encapsulated in water tight resin for leak proof operation and rated 18W/12V to provide dazzling light. The RGB version provides 7 fixed color choices and 8 color changing shows using the on/off switch. The WHT version can be switched to either warm white or cool daylight. The panel has a VDE compliant 2.0m cord and conforms to IP-68. The UPR sealed panel is packaged with different face rims and fasteners to suit different applications.

### 3480 EURO STYLE LIGHT

Sealed LED Panel with 27cm diameter Euro Style rim manufactured of ABS with UV protection and an embossed "H" logo. An all-in-one European design underwater LED light supplied with niche for in-ground pools and 900mm of flexible electrical conduit with 3/4" threaded ends. This light can be used as a complete replacement for the ProHayward 3478 Eurolight.



3480WHT	Euro Style Sealed Panel LED light, 18W - WHT
3480RGB	Euro Style Sealed Panel LED light, 18W - RGB

### 5880 UNIVERSAL LIGHT

Sealed LED Panel with a 27cm diameter face rim manufactured of ABS with UV protection and an embossed Hayward logo. Designed to be retroactively fit into any US style niche using the included fasteners. The light has a low profile of only 1.7cm and can also be installed in a ProHayward SP0600LED niche in new installations.



Fits perfectly in a ProHayward SP0600LED shallow niche

5880WHT	Universal Sealed Panel LED Light, 18W - WHT
5880RGB	Universal Sealed Panel LED Light, 18W - RGB

### 3680 NICHELESS LIGHT

Sealed LED Panel with 24cm diameter face rim manufactured of ABS with UV protection and an embossed Hayward logo. Designed for nicheless installation on the pool wall. The face rim is designed to allow water flow to help eliminate stagnant water and provide effective cooling for longer lamp life.



3680WHT	Nicheless Sealed Panel LED light, 18W - WHT
3680RGB	Nicheless Sealed Panel LED light, 18W - RGB

# UNDERWATER LIGHTING

## UPR UNIVERSAL PANEL REPLACEMENT

Sealed LED Panel available as a replacement for PAR56 lamps in the 3478, 3481 and other Euro style lights. With proper mounting and where permitted, the UPR panel may be also be used in an underwater application without a face rim and without a niche.

UPRWHT	Sealed Panel Replacement 18W - WHT
UPRRGB	Sealed Panel Replacement 18W - RGB



UPR Panel



3478 Frame



The UPR Sealed LED Panel can be used with the optional SS316 frame in applications where SS is required.

5880FRSS	SS316L Face Rim for 5880 Universal Light and UPR Sealed Panel
----------	---



5880FRSS SS Rim



UPR Panel + 5880FRSS

## UPR SEALED PANEL LIGHTING SPECIFICATIONS

	XX80WHT/UPRWHT	XX80RGB/UPRGB
T(Kelvin)	Warm White: 2400K Daylight: 6400K Combo: 4000K	Multi-color RGB
Light Output	Warm White: 750lm Combo: 1600lm	RGB: 800lm
Modes	Warm white, Daylight & Combo	7 fixed Colors & 8 Shows
Switching	On/Off	
Beam Angle	120°	
Voltage/ Frequency	12V/50-60 Hz	
Power	18W	

XX80 = 3480, 3680, 5880

# UNDERWATER LIGHTING

## 3640 NICHELESS HALOGEN LIGHT

Fitted with a 100W 12V Halogen Lamp offers optimum lighting. One screw mounting convenience and no niche installation.



## 3700 UNIVERSAL UNDERWATER ILLUMINATOR

Ideal for fountains, steps or benches where a pool size light is not desired. 50W 12V halogen performance with an optimized reflector assures good lighting performance in a smaller fixture. Replacement MR16 LED lamp available.



## PAR56 LED Replacement Lamp

### PAR56RGB

RGB lamp with 270 LEDs for optimum brightness. Control is by turning the power on/off. 7 fixed colors and 8 color shows.

### PAR56WHT

Daylight white lamp with 270 LEDs for optimum brightness and dependability when color is not required.



## SP0600LED SHALLOW NICHE

Ideal for to use in pools that have block or poured concrete walls, the SP0600LED shallow light niche is built to the same specifications of the similar widely used Hayward DuraNiche but with a low approximately 4" profile that eliminates the need for additional concrete. This simplifies the installation of the Hayward Universal ColorLogic® and Crystal Logic® pool lights. The shallow niche can also be used with the 5880 Universal replacement light.




# TRANSFORMERS & DECK BOXES

## TRANSFORMERS

Lighting Transformer specially designed to provide a safe, isolated 12VAC electrical supply to low voltage fixtures of all types. Transformers housed in a robust, powder-coated weatherproof enclosures suitable for outdoor installation

TRS300	300W 220V/12V Single-Tap
TRM300	300W 220V/12-13-14V Multi-Tap
TRS600	600W 220V/12V Single-Tap
LTBCY11300	300W 120V/12-13-14V 60Hz UL approved, multi-tapped. Includes waterproof on/off switch eliminating the need for installation of a separate switch.



LTBCY11300



## 3495 DECK BOX

Deck Mounted ABS Junction Box features one bottom and two side taps junction points push-in cover with o-ring. Electrical connection and cord seal included.



# VALUE SKIMMERS


## 3400 Skimmer

The PROHAYWARD 3400 skimmer made from UV resistant ABS includes large debris basket, flow control slide valve, port plug and a 40mm auxiliary overflow port. An adjustable collar allows for 1" vertical adjustment to accommodate any deck construction variances.


Multiple plumbing options allow for 50 mm slip, 1 1/2" internal and 2" external threaded connections. The 3400 Series includes a vacuum plate for manual vacuuming of the pool with the debris collected in the basket. The quiet operation Model 3400 skimmer provides for a recommended maximum flow rate of 5m<sup>3</sup> per hour. Also available in wide mouth.



## 3400



## 3400WM



Model	A	A1	B	C	C1	D1	D2	E1	E2	F	G	H	I	J
3400	416.00	34.60	248.90	370.20	156.38	201.7	139.7			1 1/2"	2"	50.00	40.00	49.76
3400WM	416.00	34.60	248.90	370.20	156.38	201.7	139.7	406.4	114.3	1 1/2"	2"	50.00	40.00	49.76

All dimensions are in mm unless otherwise noted.


# LADDERS & DECK EQUIPMENT

PROHAYWARD ladders are easy to grip 43mm (1.69") in diameter and polished mirror-like finish. The smooth looking rails are a result of a unique hidden tread bolts design. The non-slip treads feature Hayward's exclusive "H" logo. For extra security, the anti-slip pads on each tread are mechanically fixed to the stainless steel tread. Every PROHAYWARD ladder is individually boxed with all installation hardware included.

## Skimmer Pool Ladder

The perfect choice for swimming pools with skimmers. These ladders offer rigid stability and beautiful appearance for commercial or residential pools.


SKIMMER TYPE	Steps	A	B
LADS2H	2-steps	1306mm	664mm
LADS3H	3-steps	1556mm	664mm
LADS4H	4-steps	1860mm	664mm
LADS5H	5-steps	2056mm	664mm



## Overflow Ladder

Designed for overflow pools, the longer reach rail extends beyond the overflow channel.


OVERFLOW TYPE	Steps	A	B
LADO2H	2-steps	1306mm	957mm
LADO3H	3-steps	1556mm	957mm
LADO4H	4-steps	1860mm	957mm
LADO5H	5-steps	2056mm	957mm




## Combination Ladder

Ideal for skimmer or overflow pools. The unique design allows the ladder rails to be anchored to the deck in front of the overflow channel.

COMBINATION TYPE	Steps	A	B
LADC2H	2-steps	1306mm	357mm
LADC3H	3-steps	1556mm	357mm
LADC4H	4-steps	1860mm	357mm
LADC5H	5-steps	2056mm	357mm



Part Number	Description
A	LADBPR Bumper
B	LADESC Escutcheon
C	LADANC Anchor
D	LADTRDPAD Black tread pad
E	LADSSSEB SS316 End bracket for 1.25" tube
F	LADSSSOB SS316 Open bracket for 1.25" tube
G	LADTRD Spare Ladder step



# MISCELLANEOUS

## Blü Hi Performance Filtration Media PHBB

Rated to 5 microns at 95% removal during first pass. 100x lighter than sand. 1 lb Blu replaces 100lb sand, Eliminates transportation, storage and handling of sand. Save time and effort on service with less mess Lower pressure drop means lower pump head required resulting in lower pumping costs. Back-washable and long lasting. Available in 1 lb bags



## CD001

Large Floating Chemical Dispenser with twist lock cap and adjustable chlorination control ring. Holds six 3" tablets or 3lbs of 1" tablets



## CD002

Small Floating Chemical Dispenser foam-filled for added buoyancy. With twist lock cap and adjustable chlorination control ring. Holds 11 ounces ( approx. 300 gms) of 1" tablets



## LB030

Bright orange 30" life ring manufactured with long lasting HDPE outer case over a super buoyant polyurethane core





# Have a beautiful swimming pool or water feature with Hayward equipment?



Send us a hi-res picture and some basic technical detail to [img@hayward.com](mailto:img@hayward.com) with subject: **WORLDPOOL**  
Your pool may be included in our catalog or album of featured pools!

**DEPENDABLE POOL EQUIPMENT MEANS  
SAFE, SPARKLING CLEAR WATER AND  
MORE PLAY TIME IN THE POOL.**

.....  
**BUILT BETTER! TOTAL QUALITY. TOTALLY HAYWARD.**  
.....



**haywardimg.com**

**YOUR IMG RESOURCE CENTER**  
CATALOGS, PRODUCT INFORMATION SHEETS,  
NEWSPLASH, SUBMIT WARRANTY CLAIMS,  
HEATER SIZING CALCULATOR AND MORE.

# ALPHABETICAL INDEX

MODEL	DESCRIPTION	PAGE	MODEL	DESCRIPTION	PAGE
ABR005	5" Deluxe Algae Brush	4	TRS600	Transformer 600W 220V/12V Single Tap	13
ABR010	10" Deluxe Algae Brush	4	LTBCY11300	Transformer 300W 120V/12-13-14V 60 Hz	13
SKM001	Deluxe Hand Skimmer	5	LADS2H	Skimmer Ladder 2-Step Anti-Slip Tread	15
SKM002	Standard Skimmer	5	LADS3H	Skimmer Ladder 3-Step Anti-Slip Tread	15
SKM003	Skimmer with 48"	5	LADS4H	Skimmer Ladder 4-Step Anti-Slip Tread	15
SKM004	Professional Leaf Aluminum Rod Skimmer	5	LADS5H	Skimmer Ladder 5-Step Anti-Slip Tread	15
SKM004-NET	Replacement net for SKM004	5	LAD02H	Overflow Ladder 2-Step Anti-Slip Tread	15
LFR001	Deluxe Leaf Rake	5	LAD03H	Overflow Ladder 3-Step Anti-Slip Tread	15
LFR002	Professional Leaf Rake	5	LAD04H	Overflow Ladder 4-Step Anti-Slip Tread	15
CWB001	18" Standard Curved Wall Brush	4	LAD05H	Overflow Ladder 5-Step Anti-Slip Tread	15
CWB002	18" Deluxe Curved Wall Brush	4	LADC2H	Combination Ladder 2-Step Anti-Slip Tread	15
CWB003	24" Pro Curved Wall Brush	4	LADC3H	Combination Ladder 3-Step Anti-Slip Tread	15
CWB004	24" Pro Blend Wall Brush	4	LADC4H	Combination Ladder 4-Step Anti-Slip Tread	15
VAC001	19" Pro Grade Flex Vac	6	LADC5H	Combination Ladder 5-Step Anti-Slip Tread	15
VAC002	14" Standard Flex Vac	6	LADBPR	Replacement Bumper	15
VAC002BR	14" Flex Vac with Side; Bottom Bristles	6	LADTRD	Replacement Non-Slip Step	15
VAC002M	14" Standard Flex Vac with Metal Handle	6	LADTRDPAD	Rubber pad for Ladder Tread	15
VAC003	Standard Brush Vacuum	6	LADESC	Escutcheon	15
VAC004	19" Value Commercial Flex Vac	6	LADANC	Anchor Socket	15
POL001	3 Section 5'-16' Pole	7	LADSSEB	Stainless Steel 316 End Bracket for 1.25 tube	15
POL002	2 Section 8';-16' Pole	7	LADSSOB	Stainless Steel 316 Open Bracket for 1.25 tube	15
POL003	2 Section 8'-16' Pole w/Internal Lock	7	3495	Deck Junction Box	13
POL004	2 Section 8'-16' Fiberglass Pole, Yellow	7	3480RGB	Euro Style Sealed Panel LED Light - RGB	10
POL005	2 Section 12'-24' Professional Fiberglass Pole	7	3480WHT	Euro Style Sealed Panel LED Light - White	10
POL006	2 Section 12'-24' Professional Aluminum Pole	7	3640	Nicheless Underwater Pool Light - 100W, 12V	12
VH1525	1½" x 25' Vacuum Hose w/Swivel Cuff	9	3700	Underwater Light - 50W/ 12V	12
VH1530	1½" x 30' Vacuum Hose w/Swivel Cuff	9	3680RGB	Nicheless Sealed Panel LED light - RGB	10
VH1535	1½" x 35' Vacuum Hose w/Swivel Cuff	9	3680WHT	Nicheless Sealed Panel LED light - White	10
VH1540	1½" x 40' Vacuum Hose w/Swivel Cuff	9	PAR56RGB	PAR56 LED Replacement lamp - RGB	12
VH1550	1½" x 50' Vacuum Hose w/Swivel Cuff	9	PAR56WHT	PAR56 LED Replacement lamp - White	12
THM003	Standard Floating Thermometer	8	UPRRGB	Sealed Panel Replacement - RGB	11
CD001	Large Floating Chemical Dispenser	16	UPRWHT	Sealed Panel Replacement - White	11
CD002	Small Floating Chemical Dispenser	16	5880RGB	Universal Sealed Panel LED Light - RGB	10
HSTRIP10	Trial Size Bottle - English	8	5880WHT	Universal Sealed Panel LED Light - White	10
HSTRIP50	Bottle with 50 Test Strips - English	8	5880FRSS	Universal Sealed Panel Light Face Rim SS	11
HSTRIPKIT	Box Set - English	8	SP0600LED	Shallow Niche for LED Lights	12
HSTRIP10SP	Trial Size Bottle - Spanish	8	3400	Surface Skimmer, Square Lid	14
HSTRIP50SP	Bottle with 50 Test Strips - Spanish	8	3400WM	Wide Mouth Surface Simmer - Square Lid	14
HSTRIPKITSP	Box Set - Spanish	8	LB030	Life Buoy 30"	16
TRS300	Transformer 300W 220V/12V Single Tap	13	PHBB	PROHAYWARD Blu Hi-Performance Filter Media	16
TRM300	Transformer 300W 220V/12-13-14V Multi Tap	13			



**PROHAYWARD™**



Scan the QR Code to  
view the ProHayward  
catalog online

Distributed by:



We Build Better.™

**International Marketing Group**

8175 W. Buckeye Rd » Phoenix, AZ 85043 USA